Application No.: 10/565,081 Customer No. 30734

Docket No.: 59482.21840

LISTING OF THE CLAIMS

A complete listing of the claims is provided below. This listing of claims will replace all

prior versions and listings of claims in the application.

(Previously Presented) Cargo deck for receiving a load in a cargo compartment of an 1.

aircraft, comprising a plurality of flat floor elements, a plurality of functional units for moving

and fixing said load to the cargo deck, a plurality of profile elements mounted in the long

direction of the aircraft and adapted to accommodate said functional units at least sections of said

flat floor elements being fixedly connected to said profile elements to form deck sections that

each extends across the entire width of said cargo compartment and that are each adapted such

that longitudinal forces imposed on said deck section and oriented in a direction parallel to the

long axis of said aircraft to act as shear forces in a surface direction of the cargo deck are

transmitted to outer edges of said deck section and dissipated from said outer edges to an outer

skin of the aircraft.

(Previously Presented) Cargo deck according to claim 1, wherein said cargo deck is 2.

subdivided in the direction of its long axis into a plurality of said de ck sections, which are

decoupled from one another with respect to said longitudinal forces.

(Previously Presented) Cargo deck according to claim 1, wherein intermediate elements 3.

are provided connected to said outer edges of said deck section and to said outer skin in order to

transmit the longitudinal forces.

4. (Previously Presented) Cargo deck according to claim 3, comprising ribs and wherein

said intermediate elements are attached to said outer skin between said ribs.

(Previously Presented) Cargo deck according to claim 3, said intermediate elements 5.

exhibit a stiffness that depends on the direction of a force applied thereto and are orientated, such

Application No.: 10/565,081 PATENT

Docket No.: 59482.21840 Customer No. 30734

that longitudinal forces are transmitted more strongly than forces in other directions.

6. (Previously Presented) Cargo deck according to claim 3, wherein said deck sections

comprise transverse beams and form modules that can support heavy loads, the deck sections

being attached to said intermediate elements by way of said transverse beams.

7. (Previously Presented) Cargo deck according to claim 6, wherein said longitudinal forces

are dissipated to said outer skin by insertion of at least end sections of said transverse beams.

8. (Previously Presented) Cargo deck according to claim 3, wherein said intermediate

elements are connected to said deck sections in the region of end corners of said deck sections

and are short in relation to an overall length of said deck sections.

9. (Previously Presented) Cargo deck according to claim 8, wherein at each deck section

two intermediate elements are attached to said end corners of an edge of said deck section that

extends perpendicular to the longitudinal direction.

10. (Previously Presented) Cargo deck according to claim 1, wherein said deck sections

comprise transverse beams and form modules that can support heavy loads.

11. (Previously Presented) Cargo deck according to claim 10, comprising ribs and wherein

said transverse beams comprise support feet for attachment to said ribs.

12. (Previously Presented) Cargo deck according to claim 10, wherein each deck section

comprises a transverse beam, the ends of which are connected to the outer skin for the

transmission of longitudinal forces thereto.

Application No.: 10/565,081 PATENT

Docket No.: 59482.21840 Customer No. 30734

and wherein said deck sections are attached at their edges to said longitudinal beams in order to

(Previously Presented) Cargo deck according to claim 1, comprising longitudinal beams

dissipate forces perpendicular to the long axis of the aircraft.

14. (Previously Presented) Cargo deck according to claim 13, wherein said aircraft comprises

ribs and said longitudinal beams are attached to said ribs.

15. (Previously Presented) Cargo deck according to claim 10, wherein modules are attached

within the aircraft by rapid-closure elements.

16. (New) A cargo deck module for a cargo deck of an aircraft, comprising:

a plurality of substantially planar floor elements, each having a first and a second,

opposite side; and

13.

a plurality of elongate profile elements, each of said plurality of elongate profile elements

having a first and second longitudinal side and a plurality of functional units for moving and

securing a load to said cargo deck wherein

said first side of each said plurality of substantially planar floor elements is adjacent and

connected to said first longitudinal side of a respective one of said plurality of elongate profile

elements, and

said second side of each of said plurality of substantially planar floor elements is adjacent

and connected to said second longitudinal side of a respective other one of said plurality of

elongate profile elements.

17. (New) The cargo deck module of claim 16, comprising:

a plurality of transverse support elements, each extending in a direction substantially

perpendicular to a longitudinal direction of each of said plurality of elongate profile elements,

wherein

PATENT Customer No. 30734

Application No.: 10/565,081 Docket No.: 59482.21840

each of said plurality of substantially planar floor elements is connected to each of said plurality of transverse support elements.

- 18. (New) The cargo deck module of claim 17, wherein each of said plurality of transverse support elements is provided at a side of said plurality of elongate profile elements opposite said plurality of functional units.
- 19. (New) The cargo deck module of claim 16, wherein at least one second respective one and said plurality of elongate profile elements has a pair of walls, and plurality of functional units of said second respective one of said plurality of elongate profile elements being provided between and pair of walls, said pall of walls extending from and substantially perpendicular to a cargo deck surface defined by said plurality of substantially planar floor elements.
- 20. (New) An aircraft having a cargo deck, said aircraft comprising:

a plurality of cargo deck modules defining said cargo deck, each of said plurality of cargo deck modules comprising:

a plurality of substantially planar floor elements, each having a first and a second, opposite side; and

a plurality of elongate profile elements, each of said plurality of elongate profile elements having a first and second longitudinal side and a plurality of functional units for moving and securing a load to said cargo deck, each of said plurality of elongate profile elements extending in a longitudinal direction of said aircraft, wherein

said first side of each of said plurality of substantially planar floor elements is adjacent and connected to said first longitudinal side of a respective one of said plurality of elongate profile elements,

said second side of each of said plurality of substantially planar floor elements is adjacent an connected to said second longitudinal side of a respective other one of said plurality of elongate profile elements, and Application No.: 10/565,081 **PATENT** 

Docket No.: 59482.21840 Customer No. 30734

each of said plurality of cargo deck modules extends across an entire width of said cargo

deck.

21. (New) The aircraft of claim 20, wherein each respective one of said plurality of cargo

deck modules comprises:

a plurality of transverse support elements, each extending across an entire width of said

cargo deck in a direction substantially perpendicular to a longitudinal direction said aircraft,

wherein

each of said plurality of substantially planar floor elements of said respective one of said

plurality of cargo deck modules is connected to each of said plurality of transverse support

elements of said respective one of said plurality of cargo deck modules.

22. (New) The aircraft of claim 20, wherein, for at least one respective one of said plurality

of cargo deck modules, at least one second respective one of said plurality of elongate profile

elements of said respective one of said plurality of cargo deck modules has a pair of walls, said

plurality of functional units of said second respective one of said plurality of elongate profile

elements being provided between said pair of walls, said pair of walls extending from and

substantially perpendicular to a cargo deck surface defined by said plurality of substantially

planar floor elements of said respective one of said plurality of cargo deck modules.